

# SAFETY RELATED TRAINING

Training	Reference(s)	For	Frequency	Requirements
Initial and Periodic Safety, Fire Prevention, and Health On-The-Job Training	AFI 91-301 para 7.3 (training outline/documentation) AFOSH Std 91-501, 19.11 (eyewash/showers) AFOSH Std 91-501, 14.4.9 (personal protective equipment) AFOSH Std 91-66 Chapter 2 AFOSH Std 91-501, Chapter 9 (jewelry restrictions) AFOSH Std 91-501, 6.2.16 (Fire Prevention information)	All Air Force Employees	<u>Initial:</u> newly assigned personnel <u>Periodically:</u> whenever there is a change in equipment, procedures, processes, or safety, fire protection, and health requirements.	All supervisors must have lesson plan for training that includes mandatory items in AFI 91-301, Attachment 5. Lesson plans must be reviewed annually.  AF Form 55 is used to document training for personnel. Instructions for completing AF Form 55 in Attachment 6.
Aircraft Fire Extinguisher	29 CFR 1910.157(g)(3)	All newly assigned aircraft maintenance and servicing personnel  All production personnel	<u>Initial:</u> Base Fire Department designates trainers <u>Annual:</u> Same	Annotate Form 55
Hazard Communications	29 CFR 1910.1200(h)	Employees with industrial chemical exposure greater than would be used in one's own home  All production personnel	<u>Initial:</u> By Supervisor. Chemical hazards in workplace. <u>Updated:</u> when new hazardous substance is introduced into work area.	Workcenter specific requirements are trained by the supervisor to cover chemicals used by the employees. Location of chemicals, their associated hazards, location of MSDS. Annotate Form 55
Lock-Out Tag-Out	AFOSH Std 91-501, 21.6.2	Employees who maintain industrial equipment that has hazardous energy sources. Employees who work in shops using lock-out tag-out, but do not apply locks or tags, require general familiarization training with the program  All employees on initial All affected and authorized employees for refresher	<u>Initial:</u> Workcenter training plan. <u>Annual:</u> Required. <u>Periodic:</u> When deviations are noted or when significant changes occur.	Lesson plan reviewed annually by Safety  Annotate Form 55
Manual Material Handling	AFOSH Std 91-501, 4.4 AFOSH Std 91-46, 1.2.1.1.	Employees who regularly perform manual lifting.  All production personnel	<u>Initial:</u> Supervisor uses prescribed reference material	Train new employees who do not have record of prior training or need refresher training due to knowledge of lifting principles. r. Annotate Form 55
Manual and Powered Hoist	AFOSH Std 91-46 para 5.2.3.1	Employees who operate manual or powered hoists  All production areas	<u>Initial:</u> Hoist specific hand-on training and qualification by qualified operator	Method of documentation is not specified, but the AF Form 55
Respirator Use	AFOSH Std 48-137, 7.3-7.4	Employees who use respirators  All painters, blasters, fuels C-130 sheetmetal	<u>Initial &amp; Annual:</u> Bioenvironmental Engineering conducts training	Annotate Form 55  *Initial Fit Test with Bio, then update annually.
Respirator Issuers and Respirator Maintainers	AFOSH Std 48-137.7. AFOSH Std 48-137.7.5.	Employees responsible to issue respirators (Examples: Supply and Bench Stock Personnel) Employees who maintain respirators.	<u>Annual:</u> Supervisor conducts. BE will train on proper maintenance, storage, inspection.	Annotate Form 55
Supervisors of Respirator Users	AFOSH 48-137, 7.	Upon assignment and annually thereafter for all supervisors of employees who are enrolled in respirator program	<u>Initial and Annual</u>  Training given by BE.	Annotate Form 55
FFPD	AFOSH 48-137, 3.2.3.2.	All employees who choose to use paper two strap masks; training is on limiting factor of the FFPD	<u>Initial and Annual</u> provided by supervisor with a written lesson plan	Annotate Form 55

<b>Training</b>	<b>Reference(s)</b>	<b>For</b>	<b>Frequency</b>	<b>Requirements</b>
Confined Space Monitor	AFOSH Std 91-25 Chapter 5	Employees responsible to monitor confined spaces with atmosphere testing equipment	<u>Task Qualification:</u> Bioenvironmental Engineering conducts	One time certification on specific monitoring equipment Annotate Form 55
CPR		Employees who perform maintenance on electrical circuits or in the vicinity of electrical circuits. Also employees who perform duty as safety observers or those who perform certain maintenance processes.	<u>Initial:</u> Required <u>Refresher:</u> Every Two years (message change from one year) CES electrician must still review training annually as prescribed by standard.	Annotate Form 55
Aircraft Maintenance Lifeguards	AFOSH Std 91-100 para 1-4d			
CS Equip Technicians	AFOSH Std 48-14 para 1.2.6			
CES Electricians	AFOSH Std 91-50 para 2.3.1			
Medical Personnel	AFI 32-1065 para 2.13			
Confined Space Rescue Personnel	Reference not available			
	AFOSH Std 91-25 para 5.5.2.			
Blood borne Pathogens	AFOSH Std 91-50 para 2.3.1.1 OSHA 1910.1030	Employees designated to provide first-aid and/or CPR are required this training if exposure to blood products reasonably expected. Personnel who are tasked to clean up linens or come in contact with blood stained/soaked materials also require this training.	<u>Initially within 10 days of assignment and Annual with CPR refresher</u>	Annotate Form 55
Ladder Use	AFOSH Std 91-501, 7.6.2.4.1.	Employees tasked to perform work on ladders over six feet high require formal hands on training.	<u>Task Qualification:</u> <u>Workcenter Specific</u> Initial and Periodic	Standard states training subjects required. Annotate Form 55
Radio Frequency Radiation	AFOSH Std 48-9	Employees working around radio frequency emitters which can cause occupational injury/illness	<u>Initial</u> <u>Annual Refresher</u>	BE will provide/approve lesson plans. Annotate AF Form 55.
Agricultural Tractors	AFOSH Std 91-54 para 4d	Employees who operate three or four wheel vehicles designed to pull, carry, roll, or propel agricultural implements	<u>Task Qualification:</u> <u>Supervisor provides training</u>	Manufacturer manuals and the AFOSH Std referenced are primary training documents. Annotate Form 55
Hazardous Noise Protection	AFOSH Std 48-501, 14.4.9.	Employees routinely exposed to hazardous noise  All production employees	<u>Work center Specific:</u> Supervisor conducts annual hands-on training for all employees who are identified at risk on the hearing conservation program	Describe protective measures, environmental noise survey findings, and hazardous noise areas/equipment. Annotate Form 55
Vehicle mounted elevated work platforms, self propelled platforms and manual platforms	AFOSH Std 91-501, 16.4.6.3.	Employees operating this type of equipment	<u>Prior use:</u> Qualified trainer provides instruction and qualification	Documentation is in training records.
Hydrazine	AFOSH 48-8 A8.37	Employees working where there is a potential for accidental H-70 release	<u>Initially and Annual</u>	Document Form 55
Confined Space Entrant Attendant Supervisor Team	AFOSH Std 91-25 Chapter 5	Employees working with confined space entry (Examples: manholes, tanks, and spaces not meant for human habitation)	<u>Task Qualification:</u> Unit instructed	Document on AF Form 55 or suitable substitute. A lesson plan coordinated with SEG, SGPB, and CEF required.

## OTHER SAFETY RELATED TRAINING

Government and Special Purpose Vehicle Training  
Other Job Qualification task training  
Self-Aid and Buddy Care  
Flight line Drivers Training

Aircrew Fire System Training  
Asbestos Removal and Abatement  
Supplied Air Respirator Equipment